

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,933,644

APPLICATION NO.: 10/552,009

ISSUE DATE : April 26, 2011

INVENTOR(S) : Lid B. Wong, Donovan B. Yeates, Guanglin Li, Tarun Chandra, Mahandas A. Kizhakayil

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, Line 63:

Reads:  $TH^j = \alpha x ECG_{\max}^j$                       Should read:  $TH^j = \alpha x ECG_{\max}^j$

Column 10, Line 65:

Reads:  $ECG_{\max}^j$                       Should read:  $ECG_{\max}^j$

Column 13, Line 36:

Reads:  $T_{RR}^*$                       Should read:  $T_{RR}^*$

Column 14, Line 36:

Reads:  $SI_{LF} = \sum_{n=1}^N \sum_{w=LF}^{LF_{\max}} (ED_{TF}(n, v))^2$                       Should read:  $SI_{LF} = \sum_{n=1}^N \sum_{w=LF_{\min}}^{LF_{\max}} (ED_{TF}(n, v))^2$

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SCHLEE IP INTERNATIONAL, P.C  
3770 HIGHLAND AVENUE, SUITE 203  
MANHATTAN BEACH, CA 90266

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*